




Windhofstrasse 12
D-64689 Grasellenbach
Tel.: +49 / 62 07 / 603 0
Fax: +49 / 62 07 / 603 16
verkauf@coronetnetwork.com
www.coronetnetwork.com



PRODUCT CATALOGUE

YOUR SPECIALIST FOR INDUSTRIAL AND PRESENTATION HANGERS

For fifty years now, our customers have been appreciating the high product quality, availability and extensive service range provided by Coronet. The company's location in the Odenwald, near Heidelberg, is in the geographic centre of Europe. This central location enables us to provide optimum services and fast delivery throughout Europe.

The secret of our success is the combination of quality and service: this has led to a continually increasing market share – today we are Germany's largest manufacturer and one of the major players in Europe because we constantly strive to offer tailor-made services to our customers.


QUALITY MADE IN GERMANY

We set high quality standards as this is the prerequisite for careful transportation and safe handling of goods and also ensures repeated use of our hangers.

Numerous trademark rights protect the quality and product advantages for you. Thanks to central tool maintenance and permanent production controls, we are able to deliver consistent high quality. Leading manufacturers of conveyor systems recommend Coronet coat hangers.





Feel free to contact our local teams at our sales and warehousing locations in Turkey and Hong Kong so that we can act individually to your requests and guarantee fast delivery.




Typ	cm	mm
KL1-28	28	ca.18
KL1-40	40	ca.18


Typ	cm	mm
F1-45	45	42
F1-50	50	42



Typ	cm	mm
F1/S1-45	45	42
F1/S1-50	50	42





Typ	cm	mm
FO1-26	26	10
FO1-33	33	10
FO1-38	38	10
FO1-43	43	10
FO1-47	47	10



Typ	cm	mm
F2-32	32	20
F2-38	38	20
F2-44	44	20


Typ	cm	mm
HO 3	41	17



Typ	cm	mm
F2-49	49	20



Patented leg end:
Secure ironing due to
repositioned leg ends



Typ	cm	mm
TU 26	26	10
TU 33	33	10
TU 38	38	10
TU 43	43	10
TU 47	47	10



Typ	cm	mm
BUT 42	42	8
BUT 46	46	8




Typ	cm	mm
GS 1-SKRS® F5-45	45	14



Typ	cm	mm
T 26	26	8
T 33	33	8
T 38	38	8
T 43	43	8
T 47	47	8



Typ	cm	mm
UBT 43	43	8



Typ	cm	mm
HL 234	34	17
HL 240	40	17
HL 245	45	17




Typ	cm	mm
NA 26	26	8
NA 33	33	8
NA 38	38	8
NA 43	43	8
NA 47	47	8




Typ	cm	mm
K 542	42	8




Typ	cm	mm
F 44	44	20




Typ	cm	mm
DU 40	40	10
DU 44	44	10




Typ	cm	mm
UB 1037	37	10
UB 1037 KL with clips	37	10



Typ	cm	mm
ECB 44	44	54
ECB 50	50	54



Typ	cm	mm
ECB 44 SO	44	54
ECB 50 SO	50	54




Typ	cm	mm
EN 45	45	42
EN 50	49	42




Typ	cm	mm
EN 450	45	42
EN 500	49	42
GS 1-SKRS®		
F4-45	45	42
F4-49	49	42



Typ	cm	mm
EN 45 SO	45	42
EN 50 SO	49	42
GS 1-SKRS®		
F4/S4-45	45	42
F4/S4-49	49	42



Typ	cm	mm
SH 40	40	57
SH 45	45	57
SH 50	50	57




Typ	cm	mm
SH 40 SO	40	57
SH 45 SO	45	57
SH 50 SO	50	57

Typ	cm	mm
EU 45	45	40
EU 50	50	40



Typ	cm	mm
NF 32	32	18
NF 38	38	20
NF 41	41	20
NF 44	44	20
GS 1-SKRS®		
F3-38	38	20
F3-44	44	20



Typ	cm	mm
NF 49	49	20
GS 1-SKRS®		
F3-49	49	20



Typ	cm	mm
EU 380	38	40
EU 410	41	40
EU 450	45	40
EU 500	50	40




Typ	cm	mm
NF 32 SO	32	18
NF 38 SO	38	20
NF 41 SO	41	20
NF 44 SO	44	20
GS 1-SKRS®		
F3/S-38	38	20
F3/S-44	44	20



Typ	cm	mm
NF 49 SO	49	20
GS 1-SKRS®		
F3/S-49	49	20




Typ	cm	mm
EU 38 SO	38	40
EU 41 SO	41	40
EU 45 SO	45	40
EU 50 SO	50	40



Typ	cm	mm
RKA 28	28	ca.18
RKA 35	35	ca.18
RKA 40	40	ca.18
RKA 46	46	ca.18

Typ	cm	mm
RKN 25	25	ca.18
RKN 30	30	ca.18
RKN 36	36	ca.18
RKN 40	40	ca.18
RKN 46	46	ca.18




Typ	cm	mm
RKT 25	25	ca.22
RKT 30	30	ca.22
RKT 35	35	ca.22
RKT 40	40	ca.22
RKT 46	46	ca.22


Typ	cm	mm
UR 45	45	8,5




Typ	cm	mm
NR 45	45	8,5



Typ	cm	mm
HW 19	30	10




Typ	cm	mm
HW 22	37	11
HW 23	41	11



Typ	cm	mm
HWB 22	37	16
HWB 23	41	16


Typ	cm	mm
HN 371	37	11



Typ	cm	mm
HN 375	37	11



Typ	cm	mm
HS 41	41	10
GS 1-SKRS®		
HO2	41	10



Typ	← cm →
KU 1	30




Typ	← cm →
KU 3	20



Typ	← cm →
KU 5	10




Typ	
KU 4	



Typ	
Universal Clip	
usable for boots, scarfs, berts, trousers, cloths, handbags	




Typ	
Trousers Clip Metal	



Typ	← cm →
Rubber string	30



Typ	∅
Scarf hanger	11,5x16,5



Typ	← cm →
UH-Part	37

Typ	← cm →
Shoe hanger THM 8	18



Typ	← cm →
Metal clip hanger series	12 - 20 - 30 - 40




Typ	
Trousers Clip SK1	



Typ	
KBA 01	
for hangers from approx. 40 up to 44 cm; length of opening for hanger head 135 mm	

Typ	
KBA 02	
for hangers from approx. 38 cm; length of opening for hanger head 135 mm	




Typ	← cm →
L 27	27



Typ	
Adapter non-slip	
for FO1/TU hanger series	



Typ	
Foam pads	
insert for clip hangers 50 x 70 x 4 mm	



SERVICE AND RANGE OF PRODUCTS – TAILOR-MADE TO MEET YOUR REQUIREMENTS

Coronet offers you an extensive range of products. Use your hanger as a means of presentation – through multicoloured direct printing or the Coronet vignette system. In co-operation with efficient logistics teams, we can guarantee fast delivery – wherever you are!



NEW: Soft-Touch Finish!
Unique look and feel on established Coronet hangers.
Production on request.

OPTIONS

- Soft-Touch
- Direct printing
- Coronet vignette system
- Non-slip cover
- foam-covered bars
- two-component bars
- and much more ...

Please contact us. With pleasure we advise you.

- +49 / 62 07 / 603 / 0
- +49 / 62 07 / 603 / 16
- sales@coronetnetwork.com
- www.coronetnetwork.com

HANGER CIRCULATION SYSTEMS: FULL SERVICE AND COST ADVANTAGES

Coronet offers you customised closed circulation systems leading to significant cost savings.

Permanent availability and reduction of handling time – provided by Coronet, your partner for new and used hangers.



1. Collection and sorting by Coronet.
2. Hangers in mint condition are provided.
3. Worn and destroyed hangers will be disposed in an environmentally sound way.

COMMITMENT FOR A CLEAN ENVIRONMENT

For more than 20 years, Coronet has been running a nationwide return system for hangers in co-operation with Deutsche Textillogistik GmbH (DTL). When developing our products, we set great value on compatibility of materials in order to ensure they can be recycled. Material from hangers that can no longer be used is recycled with in-house production processes by means of grinding and extruding.



For the particularly responsible use of resources, Coronet was awarded as »Öko-Profit-Betrieb«.